



PRODUCT CATALOGUE

Leading Pro Audio Brand with 30 Years of Excellence



EMBEDDED WITH ITALIAN TECHNOLOGY





BX PRO PROFESSIONAL


A PRO AUDIO BRAND

WHY PROFESSIONAL'S CHOOSE US!

- SUPERIOR SOUND QUALITY
- CONTINUOUS INNOVATION IN AUDIO TECHNOLOGY
- GROWING REPUTATION FOR QUALITY, RELIABILITY, AND CUSTOMER SATISFACTION
- TRUSTED BY DJS AND SOUND PROFESSIONALS ACROSS INDIA
- TRUSTED BY AUDIO PROFESSIONALS FOR OVER 30 YEARS

has been dedicated to providing premium pro audio solutions that combine technology, durability, and performance. Our products are crafted to meet the expectations of DJs, sound engineers, event organizers, and audio professionals.

WE BELIEVE SOUND IS NOT JUST HEARD – IT IS EXPERIENCED. THAT IS WHY EVERY BX PRO PROFESSIONAL PRODUCT IS DESIGNED TO DELIVER POWERFUL BASS, CRYSTAL-CLEAR VOCALS, AND LONG-LASTING RELIABILITY.






21" SPEAKER SERIES







BX PRO PROFESSIONAL A PRO AUDIO BRAND


BX-21BT60DM

	3500W (Power Rating)
	8 Ohms (Nom. Impedance)
	6" In/Out (4 layer Voice Coil)
	330x50 Y35 (Double Magnet)



BX-21FW55DMI

	3000W (Power Rating)
	8 Ohms (Nom. Impedance)
	5.5" In/Out (4 layer Voice Coil)
	280x50 Y35 (Double Magnet)








21" SPEAKER SERIES







BX PRO PROFESSIONAL A PRO AUDIO BRAND

BX-21PD601

	2700W (Power Rating)
	8 Ohms (Nom. Impedance)
	6" In/Out (Voice Coil)
	330x170x30 Y35 (Magnet)



BX-21FW55DM

	2500W (Power Rating)
	8 Ohms (Nom. Impedance)
	5.5" In/Out (Voice Coil)
	280x40 Y35 (Double Magnet)








18" SPEAKER SERIES







BX PRO PROFESSIONAL A PRO AUDIO BRAND


BX-18BH55DMI

	2700W (Power Rating)
	8 Ohms (Nom. Impedance)
	5.5" In/Out (4 layer Voice Coil)
	280x50 Y35 (Double Magnet)



BX-18PD71


	2600W (Power Rating)
	8 Ohms (Nom. Impedance)
	5" In/Out (4 Layer Voice Coil)
	280x60 Y35 (Double Magnet)







18" SPEAKER SERIES




BX PRO PROFESSIONAL A PRO AUDIO BRAND







BX-18PD61

	2500W (Power Rating)
	8 Ohms (Nom. Impedance)
	5" In/Out (Voice Coil)
	280x50 Y35 (Double Magnet)









BX-PD1881

	2500W (Power Rating)
	8 Ohms (Nom. Impedance)
	6" In/Out (Voice Coil)
	330x170x30 Y35 (Magnet)



BX-18GPA250 EXCLUSIVE

	2300W (Power Rating)
	8 Ohms (Nom. Impedance)
	4.5" In/Out (Extra Winding Voice Coil)
	255x140x50 Y35 (Double Magnet)
	Heat Sink Technology







18" SPEAKER SERIES





BX PRO PROFESSIONAL





A PRO AUDIO BRAND


BX-18BT56

	2100W (Power Rating)
	8 Ohms (Nom. Impedance)
	5" In/Out (Voice Coil)
	280x140x25 Y35 (Magnet)



BX-18PD52

	2000W (Power Rating)
	8 Ohms (Nom. Impedance)
	5" In/Out (Voice Coil)
	280x140x25 Y35 (Magnet)




18" SPEAKER SERIES








BX PRO PROFESSIONAL A PRO AUDIO BRAND


BX-18X471N

	1800W (Power Rating)
	8 Ohms (Nom. Impedance)
	4.5" In/Out (Voice Coil)
	105x50x15 N40 (Neo Magnet)
	Heat Sink Technology



BX-18X451

	1700W (Power Rating)
	8 Ohms (Nom. Impedance)
	4.5" In/Out (Voice Coil)
	255x140x25 Y35 (Magnet)
	Heat Sink Technology








18" SPEAKER SERIES







BX PRO PROFESSIONAL A PRO AUDIO BRAND

BX-18GPA100

	1500W (Power Rating)
	8 Ohms (Nom. Impedance)
	4" SV 4 Layer (Voice Coil)
	220x110x40 (Double Magnet)



BX-18BT1008

	1200W (Power Rating)
	8 Ohms (Nom. Impedance)
	4" In/Out (Voice Coil)
	220x110x30 Y35 (Magnet)




15" SPEAKER SERIES







BX PRO PROFESSIONAL A PRO AUDIO BRAND


BX-15BT1008

	1000W (Power Rating)
	8 Ohms (Nom. Impedance)
	4" In/Out (Voice Coil)
	220x110x30 Y35 (Magnet)
	Heat Sink Technology



BX-15X551

	600W (Power Rating)
	8 Ohms (Nom. Impedance)
	3.5" In/Out (Voice Coil)
	200x100x25 Y35 (Magnet)







15" SPEAKER SERIES







BX PRO PROFESSIONAL A PRO AUDIO BRAND


BX-15NDL76

	500W (Power Rating)
	8 Ohms (Nom. Impedance)
	3" In/Out (Voice Coil)
	NEO N40 (Neo Magnet)



BX-15MB502

	450W (Power Rating)
	8 Ohms (Nom. Impedance)
	3" In/Out (Voice Coil)
	190x90x25 Y35 (Magnet)







12" SPEAKER SERIES







BX PRO PROFESSIONAL A PRO AUDIO BRAND


BX-12NDL100

	800W (Power Rating)
	8 Ohms (Nom. Impedance)
	4" In/Out (Voice Coil)
	NEO N40 (Magnet)



BX-12NDL76

	500W (Power Rating)
	8 Ohms (Nom. Impedance)
	3" In/Out (Voice Coil)
	NEO N40 (Magnet)








12" SPEAKER SERIES







BX PRO PROFESSIONAL A PRO AUDIO BRAND


BX-12X551

	600W (Power Rating)
	8 Ohms (Nom. Impedance)
	3.5" In/Out (Voice Coil)
	200x100x25 Y35 (Magnet)
	Heat Sink Technology



BX-12PA450

	400W (Power Rating)
	8 Ohms (Nom. Impedance)
	3" In/Out (Voice Coil)
	190x90x25 Y35 (Magnet)



10" SPEAKER SERIES



BX PRO PROFESSIONAL


A PRO AUDIO BRAND

BX-10 NDL 76

- 400W (Power Rating)
- 8 Ohms (Nom. Impedance)
- 3" CCAW In/Out (Voice Coil)
- NEO N40 (Magnet)



DRIVE RACK 260 (DIGITAL CROSSOVER)



POWER AMPLIFIER






BX PRO PROFESSIONAL




A PRO AUDIO BRAND



BX-20000




BX-14000


	8 Ohms Stereo Power >>> 2x4200W 4 Ohms Stereo Power >>> 2x6800W 2 Ohms Stereo Power >>> 2x8500W
	DAMPING FACTOR > 5000
	CLASS - TD AMPLIFIER

	8 Ohms Stereo Power >>> 2x3200W 4 Ohms Stereo Power >>> 2x5500W 2 Ohms Stereo Power >>> 2x7000W
	DAMPING FACTOR > 4500
	CLASS - TD AMPLIFIER

BX-11000



	8 Ohms Stereo Power >>> 2x2300W 4 Ohms Stereo Power >>> 2x4000W 2 Ohms Stereo Power >>> 2x7200W
	DAMPING FACTOR > 3500
	CLASS - TD AMPLIFIER



POWER AMPLIFIER



BX PRO PROFESSIONAL

A PRO AUDIO BRAND



BX-10000

	8 Ohms Stereo Power >>> 2x2200W 4 Ohms Stereo Power >>> 2x3950W 2 Ohms Stereo Power >>> 2x5500W
	DAMPING FACTOR > 3500
	CLASS - TD AMPLIFIER




BX-9000

	8 Ohms Stereo Power >>> 2x2100W 4 Ohms Stereo Power >>> 2x3850W 2 Ohms Stereo Power >>> 2x5200W
	DAMPING FACTOR > 3000
	CLASS - TD AMPLIFIER

BX-8500



	8 Ohms Stereo Power >>> 2x2000W 4 Ohms Stereo Power >>> 2x3300W 2 Ohms Stereo Power >>> 2x5800W
	DAMPING FACTOR > 2500
	CLASS - H AMPLIFIER



POWER AMPLIFIER



BX PRO PROFESSIONAL




A PRO AUDIO BRAND






BX - 1601






BX - 1201


	8 Ohms Stereo Power >>> 2x1700W 4 Ohms Stereo Power >>> 2x2250W 2 Ohms Stereo Power >>> 2x3000W
	DAMPING FACTOR > 1000
	CLASS - H AMPLIFIER

	8 Ohms Stereo Power >>> 2x1350W 4 Ohms Stereo Power >>> 2x1850W 2 Ohms Stereo Power >>> 2x2500W
	DAMPING FACTOR > 800
	CLASS - H AMPLIFIER

BX - 1008 (4 CHANNEL)



	8 Ohms Stereo Power >>> 4x800W 4 Ohms Stereo Power >>> 4x1400W
	DAMPING FACTOR > 1000
	CLASS - H AMPLIFIER



TIGER SERIES AMPLIFIER



BX PRO PROFESSIONAL

A PRO AUDIO BRAND






TG - 10

	8 Ohms Stereo Power >>> 2x800W 4 Ohms Stereo Power >>> 2x1360W 2 Ohms Stereo Power >>> 2x2300W
	DAMPING FACTOR > 1000
	CLASS - H AMPLIFIER







TG - 8

	8 Ohms Stereo Power >>> 2x600W 4 Ohms Stereo Power >>> 2x1000W 2 Ohms Stereo Power >>> 2x1800W
	DAMPING FACTOR > 1000
	CLASS - H AMPLIFIER

TG - 6



	8 Ohms Stereo Power >>> 2x400W 4 Ohms Stereo Power >>> 2x700W 2 Ohms Stereo Power >>> 2x1250W
	DAMPING FACTOR > 800
	CLASS - H AMPLIFIER



PRESSURE-MID EXCLUSIVE






BX PRO PROFESSIONAL




A PRO AUDIO BRAND



BX- 4899ND EXCLUSIVE




	450W (RMS Power)
	3.5" In/Out (Diaphragm)
	N48SH Neodymium Magnet

BX- 4799ND EXCLUSIVE

	450W (RMS Power)
	3.5" In/Out (Diaphragm)
	N48 Neodymium Magnet



BX- 4591 EXCLUSIVE

	160W (RMS Power)
	3.5" In/Out (Diaphragm)
	Ferrite Magnet



MICROPHONE SERIES






BX PRO PROFESSIONAL

A PRO AUDIO BRAND






BX - 5100

-  350 Feet Of Range
-  UHF Wireless Series
-  Fastest Connectivity

Comes With Premium Flight Case








BX - 7100


-  600 Feet Of Range
-  UHF Wireless Series
-  Heavy Duty Build

Comes With Premium Flight Case



BETA 58A

	BETA 58A
	Metal Body
	Uni Directional
	-73±2db Sensitivity
	6000hm Output Impedance
	WIRED MICROPHONE
	50hz-140khz Frequency Response







NEODYMIUM HF DRIVER







BX PRO PROFESSIONAL A PRO AUDIO BRAND



BX-801N





	120W (RMS Power)
	8 Ohms Nom. Impedance
	Neo Magnet
	240W (Peak Power)


BX-401N

	60W (RMS Power)
	8 Ohms Nom. Impedance
	Neo Magnet
	120W (Peak Power)



BX-D2 EXCLUSIVE

	220W (RMS Power)
	8 Ohms Nom. Impedance
	Neo Magnet
	Kapton Voice Coil Former







FERRITE HF DRIVER







BX PRO PROFESSIONAL A PRO AUDIO BRAND

BX-750

	120W (RMS Power)
	8 Ohms Nom. Impedance
	Ferrite Magnet
	240W (Peak Power)




BX - 521

	80W (RMS Power)
	8 Ohms Nom. Impedance
	Ferrite Magnet
	160W (Peak Power)

D - 450

	60W (RMS Power)
	8 Ohms Nom. Impedance
	Ferrite Magnet
	120W (RMS Power)



DJ MIXER SERIES



BX PRO PROFESSIONAL

A PRO AUDIO BRAND




M - 4	
	3 CHANNEL
	Built In USB & Bluetooth
	Seamless Connectivity



M - 6	
	4 CHANNEL
	Built In USB & Bluetooth
	Smooth Experience



DDJ - 3	
	3 CHANNEL
	Built In USB & Bluetooth
	Easy To Setup & Carry



DIAPHRAGM




BX PRO PROFESSIONAL

A PRO AUDIO BRAND



BX-521



**BX-4899ND
(EXCLUSIVE)**



BX-4591




D-450




BX - 401N




BX-801N



**BX-4799ND
(EXCLUSIVE)**



D-750



NETWORK PLATE



BX PRO PROFESSIONAL

A PRO AUDIO BRAND

G - SERIES NETWORK PLATE




G-12450 (IMPORTED)



G-15750 (IMPORTED)



BX - 850




NETWORK PLATE




BX PRO PROFESSIONAL

A PRO AUDIO BRAND

D - 450






D - 750



D - 450
(DOUBLE COIL)

D - 750
(DOUBLE COIL)



BX PRO PROFESSIONAL



Leading Pro Audio Brand In India

30 Year's Of Legacy

Disclaimer :

-The Company does not take any responsibility of any type of printing error, omission & dispute arising out of it [All Rights Reserved]



LEADING



CREATIVE





INNOVATIVE



R&D DEPARTMENT

Bxpro[®]

PROFESSIONAL
ITALIAN TECHNOLOGY



www.bxpro.in

QR code linking to www.bxpro.in

Instagram, Facebook, YouTube, WhatsApp